

NIBP's Tube & Connector

Pressure bag/Latex ball

血压袖带延长管/气管接头

输血输液加压袋/乳胶球



NIBP's Tube & Connector(Single)
气管延长线(单管)



NIBP's Tube & Connector(Two)
气管延长线(双管)



Tube Connector
气管接头



Pressure bag
加压袋



Latex ball
乳胶球

Certification / 产品认证

CE 1282 ISO13485

Comply with / 符合标准

EN ISO 14971:2012 ISO 10993-5:2009
EN ISO 13485:2012 ISO 10993-10:2002
EN 1041:2008 ISO 81060-1:2007
ISO 15223-1:2012
EN ISO 10993-1:2009

Compatible brand 兼容品牌	Compatible model 兼容型号	OEM P/N	setalink P/N 产品编号	Instrument connector 插头图	Description 产品描述	Yoke(cuff side) 接头(袖带端)	Price code
Philips	NIBP hose connects to 40401X, M45xx, M157x series pressure cuffs. Use with Philips Instrument: A1/A3, M3921A, M3923A, M3926A, M3927A, M3928A, M3929A	M3918A	TC01C01A-10		Pressure Cuff Interconnect Tubing, Single tube, 10 ft 3.0 M, Bayonet type > Bayonet type perfect fit for 5082-184 cuff connector		B1
	Spacelabs: 90496 Module, Contec: CMS9000	Spacelabs P/N: 714-0018-00	TC01C01A-12		Pressure Cuff Interconnect Tubing, Single tube, 12 ft 3.6 M, Bayonet type > Bayonet type perfect fit for 5082-184 cuff connector		B1
Philips	Connects all sizes of Philips' reusable and disposable adult and pediatric NIBP cuffs to the monitor. Use with adult and pediatric cuffs only. CANNOT BE USED WITH NEONATAL CUFFS. Use with all Philips models except A1/A3	M1598B	TC02C01A-05		Pressure Cuff Interconnect Tubing, Single tube, 5ft. 1.5M, 6.0 Air plug > Bayonet type, perfect fit for 5082-184 cuff connector		B1
		M1599B	TC02C01A-10		Pressure Cuff Interconnect Tubing, Single tube, 10ft. 3.0M, 6.0 Air plug > Bayonet type, perfect fit for 5082-184 cuff connector		B2
GE Dinamap, Pro, MPS	DINAMAP, Pro, Compact, MPS Series	107365	TC09C05C-12		Blood Pressure Tubing (Air Hoses), two-tube, Adult-Pediatric, 12 ft., Gray Shroud to Screw Connector, Gray		B5
		107366	TC09C05C-24		Blood Pressure Tubing (Air Hoses), two-tube, Adult-Pediatric, 24 ft., Gray Shroud to Screw Connector,		B6
		107368	TC09C03C-12		Blood Pressure Tubing (Air Hoses), two-tube, Neonatal, 12 ft., Gray Shroud to Female Slip Luer,		B6
		107363	TC09C04C-12		Blood Pressure Tubing (Air Hoses), two-tube, Adult-Pediatric, 12 ft., Gray Shroud to Submini Connector, Gray		B5
Creative Neusoft Jeteem	Jeteem: BD6000		TC06C11A-10		Pressure Cuff Interconnect Tubing, Single tube, 3.0M, Readel Air plug > Barbed to barbed connector		A0
Colin, Criticare, CSI Datascope, Nihon Kohden, Datascope			TC07C12A-10		Pressure Cuff Interconnect Tubing, Single tube, 3.0M, Male Plastic Luer Lock > Female Plastic Luer Lock		A8

Blood Pressure Tubing (Air Hoses)

- Replacement tubing (air hose) for sphygmomanometers, wall manometers, aneroid gauges, and automated blood pressure monitoring systems.
- Available in Adult, Pediatric, and Neonatal styles.
- 8, 12, and 24-foot lengths permit positioning of the monitor in the room as needed
- Durable tubing offers extended tubing life
- Secure connection to blood pressure cuffs to prevent air leakage

Compatible brand 兼容品牌	Compatible model 兼容型号	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Description 产品描述	Yoke(cuff side) 接头(袖带端)	Price code
GE marquette	Eagle 3000, Dash 2000/3000/4000, Tram 400/450/451, Tram 800, 850/851. Corometrics 120	9461-217	TC10C05C-12		Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft. Gray, Rectangular Connector to Screw Connector,		B6
		414873-001	TC10C04C-12		Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft., Gray, Rectangular Connector to Submin Connector,		B6
		414874-001	TC10C03C-08		Blood Pressure Tubing (Air Hoses), two- tube, Neonatal, 8 ft., Rectangular Connector to Female Slip Luer,		B6
GE medical Critikon, Kontron, Invivo	DINAMAP 1846, 8100, 9300 and Plus Series Monitors	8841	TC05C05C-12		Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft., Screw Connector to Screw Connector		B2
		88845	TC05C05C-24		Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 24 ft., Screw Connector to Screw Connector		B3
		8841	TC05C03C-08		Blood Pressure Tubing (Air Hoses), two- tube, Neonatal, 8 ft., Screw Connector to Female Slip Luer		B2
		88845	TC05C04C-08		Blood Pressure Tubing (Air Hoses), two- tube, Neonatal, 8 ft., Screw Connector to Female Slip Luer		B2
GE medical Corometrics GE Datex	Eagle 4000, Tram 100/200/250/300/350, Corometrics 120	9461-203	TC08C04C-12		Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft., Screw Connector to Submin Connector		B2
		9461-214	TC08C05C-12		Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft., Screw Connector to Screw Connector		B2
		9461-205	TC08C03C-08		Blood Pressure Tubing (Air Hoses), two- tube, Neonatal, 8 ft., Round Connector to Female Slip Luer		B2
Goldway, 3F			TC05C11A-12		Blood Pressure Tubing (Air Hoses), single-tube, Adult-Pediatric, 12 ft., Screw Connector to cuff without connector		A0

Compatible brand 兼容品牌	Compatible model 兼容型号	OEM P/N	setolink P/N 产品编号	Instrument connector 插头图	Description 产品描述	Yoke(cuff side) 接头(袖带端)	Price code
Siemens, Drager	Multimed-Pot system fur serieSC 6000, SC 6002XL, SC 7000, SC 9000, Art. Nr.3368391(8.2ft) Art. Nr. 5950196 (4.9ft)		TC34C01A-08		Blood Pressure Tubing (Air Hoses), single-tube, 8ft(2.4m),		B8
麦邦			TC22C11A-10		Blood Pressure Tubing (Air Hoses), single-tube, 8ft(2.4m),		A0
杰奈瑞			TC17C01-10		Blood Pressure Tubing (Air Hoses), single-tube, 8ft(2.4m),		A0
科曼			TC06C01A-10		Blood Pressure Tubing (Air Hoses), single-tube, 8ft(2.4m),		A0
Nihon Kohden	Bedside Monitor: BSM-4101, 4103, 4111, 4113 Life scope P, BSM-5105, 5135 Life scope A, BSM-2351, 2353 Life scope L, BSM-2301, 2303 Life scope I		T00115/16		Blood Pressure Tubing (Air Hoses), two-tube, 8 ft. 2 pin connector.		C5

NIBP's Tube/血压袖带导气管

Compatible brand 兼容品牌	Productor Guide 产品图片	OEM P/N	Lontek P/N 产品编号	Description 产品描述	Perfect fit for 适用产品	Price code
All single tube blood pressure monitor		GE P/N:300 959N	T001A	Single Tubing, Gray, Inner diameter: 5/32 in. Out diameter: 6mm, Purchasing Unit: M- Material: TPU	all Barbed diameter 5/32 in. air connector	A1
All double tube blood pressure monitor			T003C	Two-Tubing, Gray, Inner diameter: 5/32 in. Out diameter: 6mm*2, Purchasing Unit: M- Material: TPU	all Barbed diameter 5/32 in. air connector	A2

Compatible brand 兼容品牌	Productor Guide 产品图片	OEM P/N	setolink P/N 产品编号	Description 产品描述	Perfect fit for 适用产品	Price code
Air Hose cuff		GE P/N:300670	TC11	5/32 in. ID Barbed to 5/32 in. ID Barbed, Plastic, Packaging: 10pcs/pk	all Barbed diameter 5/32 in. air connector	A4/pk
Air Hose cuff			TC35	5/32 in. ID Barbed to 5/32 in. ID Barbed, Metal, Packaging: 10pcs/pk	all Barbed diameter 5/32 in. air connector	A0/pk
Air Hose cuff			TC14	5/32 in. ID Barbed to Male Slip Luer, Plastic, Packaging: 10pcs/pk	Female Slip Luer	A4/pk
All neonate NIBP cuff		Welchallyn P/N:5082-176	TC13	3/32 in. ID Barbed to Male Luer Slip type, Plastic, Packaging: 10pcs/pk	Female Slip Luer	A4/pk
L & T		GE P/N: 300669 Welchallyn P/N:5082-169	TC15	5/32 in. ID Barbed to Female Slip Luer, Metal, Packaging: 10pcs/pk	Male Slip Luer	B2/pk
L & T		GE P/N: 300667 Welchallyn P/N:5082-167	TC16	5/32 in. ID Barbed to Male Slip Luer, Metal, Packaging: 10pcs/pk	Female Slip Luer	B3/pk
Philips (HP), Siemens, Datascope Colin Drager		GE P/N: 330059 Welchallyn P/N:5082-184	TC17	Male Bayonet to 5/32 in. ID Barbed, Metal, Packaging: 10pcs/pk	Female Bayonet	B3/pk
		Welchallyn P/N:5082-184	TC18	Male Bayonet to 5/32 in. ID Barbed, Plastic, Packaging: 10pcs/pk	Female Bayonet	A4/pk
		GE P/N: 330060	TC01	5/32 in. ID Barbed to Female Bayonet, Metal, Packaging: 10piece/pk	Male Bayonet	C5/pk
Spacelabs, Datascope Colin		GE P/N:300668 Welchallyn P/N:5082-168	TC07	(Plastic Luer Lock) Female Locking Luer to 5/32 in. ID Barbed, Plastic, Packaging: 10pcs/pk	Male Locking Luer	A7/pk
		GE P/N:3006 65Welchallyn P/N:5082-165	TC12	5/32 in. ID Barbed to Male Locking Luer (Plastic Luer Lock), Plastic, Packaging: 10pcs/pk	Female Locking Luer	A6/pk
DINAMAP		GE P/N:3006 64Welchallyn P/N:5082-164	TC24	Male Screw to 5/32 in. ID Barbed, Plastic, Packaging: 10pcs/pk	Female Screw	A4/pk
		GE P/N:3006 19Welchallyn P/N:5082-161	TC05	1/8 in. ID Barbed to Female Screw, Plastic, Packaging: 10pcs/pk	Male Screw	A4/pk
Marquette one-tube systems		GE P/N:330057 Welchallyn P/N:5082-181	TC21	5/32 in. ID Barbed to Female Marquette locking type Connector, Plastic, Packaging: 1piece/pk	male Marquette locking type Connector	A4/pk
			TC22	5/32 in. ID Barbed to male Marquette locking type Connector, Plastic, Packaging: 1piece/pk	Female Marquette locking type Connector	A1/pk

Air Hose Connectors (Cuff side)**Air Hose Connectors**

- Air hose connectors to convert your air hose to use blood pressure cuffs
- Variety of shapes and styles
- Economical way to standardize your blood pressure monitors throughout your facility.

Compatible brand 兼容品牌	Productor Guide 产品图片	OEM P/N	setolink P/N 产品编号	Description 产品描述	Perfect fit for 适用产品	Price code
GE, Marquette, Datex-Ohmeda		GE P/N:3300 90	TC04	(Quick Disconnect Locking type) Male Submin to 5/32 in. ID Barbed, Plastic, Packaging: 10pcs/pk	Female Submin	A8/pk
GE, Marquette Protocol		GE P/N:3300 64Welchalln P/N:5082-182	TC26	(Quick Disconnect Locking type) Female Submin to 1/8 in. ID Barbed, Plastic, Packaging: 10pcs/pk	Male Submin	A8/pk
ADAPTER			TC03	5/32 in. ID Barbed X2 to Female Slip Luer, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Marquette Neonatal cuff connector	B2/pk
			TC28	5/32 in. ID Barbed X2 to 5/32 in. ID Barbed X2, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	5/32 in. ID Tube	B2/pk
Nihon Kohden			TC36	Y type tube adaptor, ID: 4.0mm, OD: 7.0mm, Packaging: 10piece/pk	single tube to double tube style Interconnect Tubing	C5/pk
Eagle 3000, Dash 2000/3000/4000, Tram 400/450/451, Tram 800/850/851			TC42	5/32 in. ID Barbed to Female Slip Luer, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Marquette Neonatal cuff connector	B2/pk
Siemens, Drager			TC34	5/32 in. ID Barbed to Female Bayonet, Metal, Packaging: 1piece/pk	Male Bayonet	A6/pk
Readel			TC23	5/32 in. ID Barbed to Readel air socket, Plastic, Packaging: 1piece/pk	Readel air plug	A3/pk
			TC06	5/32 in. ID Barbed to Readel air plug, Plastic, Packaging: 1piece/pk	Readel air socket	A3/pk
Philips (HP), Siemens, Datascope Colin Drager			TC19	Male Bayonet socket to 5/32 in. ID Barbed, Metal, L=29mm, Packaging: 1piece/pk	Female Bayonet	A2/pk
			TC20	Male Bayonet socket to 5/32 in. ID Barbed, Metal, Philips L=38mm, Packaging: 1piece/pk	Female Bayonet	A2/pk
		GE P/N:330 060	TC01	5/32 in. ID Barbed to Female Bayonet, Metal, Packaging: 1piece/pk	Male Bayonet socket	A3/pk
Eagle 4000, Tram 100/200/250/ 300/350, Corometrics 118			TC08	5/32 in. ID Barbed*2 to Round Connector, Packaging: 1piece/pk	Perfect fit for two tubes	A3/pk

Air Hose Connectors (Cuff side)**Air Hose Connectors**

- Air hose connectors to convert your air hose to use blood pressure cuffs
- Variety of shapes and styles
- Economical way to standardize your blood pressure monitors throughout your facility.

Compatible brand 兼容品牌	Productor Guide 产品图片	OEM P/N	setolink P/N 产品编号	Description 产品描述	Perfect fit for 适用产品	Price code
Eagle 3000, Dash 2000/3000/4000, Tram 400/450/451, Tram800/850/851, Corometrics 120			TC10	Rectangular Connector, Packaging: 1piece/pk	Perfect fit for two tubes	A6/pk
			TC41	5/32 in. Female Slip Luer, metal, Packaging: 10pcs/pk Fit for ID 3mm - 4.0mm tube.		C5/pk
			TC37	5/32 in. ID male Slip Luer, Metal, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.		C5/pk
			TC38	5/32 in. ID Barbed X2 to Female Slip Luer, Metal, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.		C5/pk
Nihon Kohden			TC40	Nihon Kohden blood pressure cuff connecting tube, double tube, 1piece/pk		A5/pk
DINAMAP, Pro, Compact, MPS Series			TC09	Gray Shroud Connector, Packaging: 1piece/pk	Perfect fit for two tubes	A6/pk
Stainless steel valve			TC29	Name: Stainless steel valve, Packaging: 1piece/pk	Connect with air tube, bulb	A2/pk
Plastic valve			TC30	Name: Plastic valve, Packaging: 1piece/pk	Connect with air tube, bulb	A2/pk
Metal valve			TC39	Name: Stainless steel valve, Packaging: 1piece/pk	Connect with bulb	
			TC43	Quick Disconnect Locking type, Fit for ID2.5mm - 4.0mm tube.	Connect with bulb	

Resusable pressure infusor/重复性加压袋

Compatible brand 兼容品牌	OEM P/N	setolink P/N 产品编号	Description 产品描述	Price code
		C0004D	Reusable Medical Infusables Pressure Infusors bag 500ml	B5
		C0005D	Reusable Medical Infusables Pressure Infusors bag 1000ml	C2
		C0006D	Reusable Medical Infusables Pressure Infusors bag 3000ml	C5
		C0004A	Disposable Medical Infusables Pressure Infusors bag 500ml	B2
		C0005A	Disposable Medical Infusables Pressure Infusors bag 1000ml	B9
		C0006A	Disposable Medical Infusables Pressure Infusors bag 3000ml	C3

Suction ECG electrodes/乳胶球

Compatible brand 兼容品牌	Productor Guider 产品图片	OEM P/N	setolink P/N 产品编号	Description 产品描述	Perfect fit for 适用范围	Price code
small size bulb			TC31	Name:cuff bulb with valve, Small bulb Size:81:±2*44±2mm Material:Silicone	Connect with air tube	
Long bulb			TC32	Name:cuff bulb with valve, Large bulb Size:86:±2*42±2mm Material:Silicone	Connect with air tube	A3/pk
Medium size bulb			TC33	Name:cuff bulb with valve, medium size bulb Size:96:±2*47±2mm Material:Silicone	Connect with air tube	