




重复性血氧饱和度探头 Reusable SpO2 Sensor



LEDS:

- ◆Red:660nm normal
- ◆Infrared:880/905/940nm normal
- ◆Test range:
- ◆Oxygen Saturation(%SpO2)0% to 100%
- ◆Pulse rate(BPM):30 to 245


Accuracy:

- 90%-100%±2%
- ◆SpO2 70%-89%±3%
- 0%-99%(unspecified)
- ±1 bpm(30-59bpm)
- ◆Pulse Rate ±2 bpm(60-149bpm)
- ±3 bpm(150-245bpm)

Environment:

- ◆StorageTemperature:-10°C-+40°C
- ◆OperatingTemperature:+5°C-+40°C
- ◆Humidity:≤85%
- ◆Hyperbaric pressure:86kpa-106kpa

Instruction for model no.:



Picture for instrument









Adult Finger Clip SpO2 Sensor		21
Application: Adult>40kg		
Application site: Index or other finger		
Adult Silicone Soft Tip SpO2 Sensor		22
Application: Adult>40kg		
Application site: Index or other finger		
Pediatric Finger Clip SpO2 Sensor		23
Application: Pediatric>10-40kg		
Application site: Index or other finger		
Pediatric Silicone Soft Tip SpO2 Sensor		24
Application: Pediatric>10-40kg		
Application site: Index or other finger		
Neonate Silicone Wrap SpO2 Sensor		25
Application: Neonate 1-4kg, Pediatric 10-40kg; Infant 3-15kg		
Application site: Adult, Pediatric-Index or other finger; Neonate-foot; Infant- great toe		
Adult Ear Clip SpO2 Sensor		26
Application: Adult>40kg		
Application site: ear		
Multi-site Function SpO2 Sensor		27
Application: Adult>40kg		
Application site: forehead		
Accessory: Neonate silicone Wrap		
Veterinary SpO2 Sensor		D
Application: Dog, Cat		
Application site: ear, tongue		

Warning: only use for pulse oximeter which has autoconditioning power fuction.



重复性血氧饱和度探头







Reusable SpO2 Sensor

兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price	
BCI Biochem international	ST-S0111-21				660/905NM-2	25	
	ST-S0111-22				660/905NM-2	25	
	ST-S0111-23				660/905NM-2	25	
	ST-S0111-24				660/905NM-2	25	
	ST-S0111-25	Aemsrong:AD-900, 1000, 2000, 3000	Connector: DB 9Pin Fixed		660/905NM-2	25	
	ST-S0111-26	Burdick:PRO2, 100	LEDS: 660nm/905nm-2		660/905NM-2	25	
	ST-S0111-27	BCI:3100, 3101, 3300, 3301, 3302, 3303, 3304, 3401, 6100, 9100,	Cable: Medical TPU OD4.0 L=3M		660/905NM-2	25	
	ST-S0111-D	Mintorr Plus			660/905NM-2	25	
	ST-S0112-21	Corpiuse:08/06				660/905NM-2	21
	ST-S0112-22	Drager Oxipac 2000/2500				660/905NM-2	21
	ST-S0112-23	Digicare:Digimax5500	连接器: DB 9Pin带固定			660/905NM-2	21
	ST-S0112-24	Invacare:ALL	发射管: 660nm/905nm-2			660/905NM-2	21
	ST-S0112-25	Lynn Medical:ALL	线材: 医用TPU, OD4.0, L=1M	660/905NM-2		21	
	ST-S0112-26		Connector: DB 9Pin Fixed	660/905NM-2		21	
	ST-S0112-27		LEDS: 660nm/905nm-2	660/905NM-2		21	
	ST-S0112-D		Cable: Medical TPU OD4.0 L=1M	660/905NM-2		21	
	宝莱特 Biolight	ST-S0113-21				660/905NM-2	25
		ST-S0113-22				660/905NM-2	25
		ST-S0113-23				660/905NM-2	25
		ST-S0113-24	BCI:6100, 9100	连接器: ST 7Pin单单位		660/905NM-2	25
ST-S0113-25		Advisor, Autocorr, Torr,	发射管: 660nm/905nm-2	660/905NM-2		25	
ST-S0113-26		Mini Torr Plus	线材: 医用TPU, OD4.0, L=3M	660/905NM-2		25	
ST-S0113-27			Connector: ST 7Pin 1 Slot	660/905NM-2		25	
ST-S0113-D			LEDS: 660nm/905nm-2	660/905NM-2		25	
ST-S0114-21			Cable: Medical TPU OD4.0 L=3M	660/905NM-2		25	
ST-S0114-22						660/905NM-2	25
ST-S0114-23	宝莱特Biolight: M69, M6, M12,	连接器: ST 5Pin单单位	660/905NM-2		25		
ST-S0114-24	M7000, M8000, M9000	发射管: 660nm/905nm-2	660/905NM-2		25		
ST-S0114-25	BTD-352A	线材: 医用TPU, OD4.0, L=3M	660/905NM-2		25		
ST-S0114-26	成都汇智达hstar	Connector: ST 5Pin 1 Slot	660/905NM-2		25		
ST-S0114-27		LEDS: 660nm/905nm-2	660/905NM-2		25		
ST-S0114-D		Cable: Medical TPU OD4.0 L=3M	660/905NM-2		25		
ST-S0115-21		数字输出信号Digital output signal	660/905NM-2		25		
ST-S0115-22	宝莱特Biolight: M69, M6, M12,	连接器: DB 9Pin 双开口		660/905NM-2	23		
ST-S0115-23	M7000, M8000, M9000 M9500	发射管: 660/905nm-2,		660/905NM-2	23		
ST-S0115-24	BTD-352A	线材: 医用TPU, OD4.0 L=1M		660/905NM-2	23		
ST-S0115-25	A系列: AnyView A3,	Connector: DB 9Pin 2 Slots		660/905NM-2	23		
ST-S0115-26	AnyView A5,	LEDS: 660nm/905nm-2		660/905NM-2	23		
ST-S0115-27	AnyView A8	Cable: MedicalTPU OD4.0 L=1M		660/905NM-2	23		
ST-S0115-D	AnyView A6	数字输出信号Digital output signal		660/905NM-2	23		
ST-S0116-21	M800掌式血氧仪			660/905NM-2	23		
ST-S0116-22				660/905NM-2	25		
ST-S0116-23	宝莱特Biolight: M9500	连接器: 圆头12Pin 单定		660/905NM-2	25		
ST-S0116-24	A系列: AnyView A3,	发射管: 660/905nm-2,		660/905NM-2	25		
ST-S0116-25	AnyView A5,	线材: 医用TPU, OD4.0 L=3M		660/905NM-2	25		
ST-S0116-26	AnyView A8	Connector: Round 12Pin 1 Slot		660/905NM-2	25		
ST-S0116-27	AnyView A6	LEDS: 660nm/905nm-2		660/905NM-2	25		
ST-S0116-D		Cable: MedicalTPU OD4.0 L=3M		660/905NM-2	25		



重复性血氧饱和度探头





Reusable SpO2 Sensor

兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price
BIONET	ST-S0117-21	BM3	连接器: ST 7Pin单定位 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: ST 7Pin 1 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	25
	ST-S0117-22				660/905NM-2	25
	ST-S0117-23				660/905NM-2	25
	ST-S0117-24				660/905NM-2	25
	ST-S0117-25				660/905NM-2	25
	ST-S0117-26				660/905NM-2	25
	ST-S0117-27				660/905NM-2	25
	ST-S0117-D	660/905NM-2	25			
	ST-S0118-21	BM3, BM3 Plus	连接器: 圆头6Pin 30° 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Round 6Pin 30° LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905NM-2	25
	ST-S0118-22				660/905NM-2	25
	ST-S0118-23				660/905NM-2	25
	ST-S0118-24				660/905NM-2	25
	ST-S0118-25				660/905NM-2	25
	ST-S0118-26				660/905NM-2	25
ST-S0118-27	660/905NM-2				25	
ST-S0118-D	660/905NM-2	25				
BIOSYS	ST-S0119-21	BPM300	连接器: 迷你6Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Mini 6Pin LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	25
	ST-S0119-22				660/905NM-2	25
	ST-S0119-23				660/905NM-2	25
	ST-S0119-24				660/905NM-2	25
	ST-S0119-25				660/905NM-2	25
	ST-S0119-26				660/905NM-2	25
	ST-S0119-27				660/905NM-2	25
ST-S0119-D	660/905NM-2	25				
布鲁克 Bruker	ST-S0120-21	Bruker (Odam) ALL as dc-3002, 1H, M3	连接器: 圆头12Pin 单定 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Round 12Pin 1 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	25
	ST-S0120-22				660/905NM-2	25
	ST-S0120-23				660/905NM-2	25
	ST-S0120-24				660/905NM-2	25
	ST-S0120-25				660/905NM-2	25
	ST-S0120-26				660/905NM-2	25
	ST-S0120-27				660/905NM-2	25
ST-S0120-D	660/905NM-2	25				
北京超思 Choice	ST-S0121-21	NELLCOR OXIMAX Module	连接器: ST 9Pin单定位 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: ST 9Pin 1 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	25
	ST-S0121-22				660/905NM-2	25
	ST-S0121-23				660/905NM-2	25
	ST-S0121-24				660/905NM-2	25
	ST-S0121-25				660/905NM-2	25
	ST-S0121-26				660/905NM-2	25
	ST-S0121-27				660/905NM-2	25
ST-S0121-D	660/905NM-2	25				
Critikon	ST-S0122-21	GE Medisal Systems Critikon Dinamap 8700, 8710 Critikon Dinamap 8720 Plus Crotikon Dinamap8721, 9710, 9700 Critikon Dinamap 8280	连接器: ST 7Pin单定位 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: ST 7Pin 1 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	35
	ST-S0122-22				660/905NM-2	35
	ST-S0122-23				660/905NM-2	35
	ST-S0122-24				660/905NM-2	35
	ST-S0122-25				660/905NM-2	35
	ST-S0122-26				660/905NM-2	35
	ST-S0122-27				660/905NM-2	35
ST-S0122-D	660/905NM-2	35				



重复性血氧饱和度探头

Reusable SpO2 Sensor

兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price				
CSI Criticare systems international	ST-S0123-21	Alaris(IVAC):Vital Check 4400 CSI:503DX, 503Spot, 504DX, 506, 506DX, 507ELC2 Scholar111, 8100poet Plus Poet (602-3A) (sensor+cable) Scholar (sensor+cable)	连接器: DB 6 Pin弯头 发射管: 660/905nm-3, 线材: 医用TPU, OD4.0 L=3M Connector: DB 6 Pin Elbow LEDS: 660nm/905nm-3 Cable: Medical TPU OD4. L=3M		660/905NM-3	25				
	ST-S0123-22				660/905NM-3	25				
	ST-S0123-23				660/905NM-3	25				
	ST-S0123-24				660/905NM-3	25				
	ST-S0123-25				660/905NM-3	25				
	ST-S0123-26				660/905NM-3	25				
	ST-S0123-27				660/905NM-3	25				
	ST-S0123-D				660/905NM-3	25				
	ST-S0124-21				660/905NM-3	23				
	ST-S0124-22				660/905NM-3	23				
	ST-S0124-23				660/905NM-3	23				
	ST-S0124-24				660/905NM-3	23				
	ST-S0124-25				660/905NM-3	23				
	ST-S0124-26				660/905NM-3	23				
	ST-S0124-27				660/905NM-3	23				
	ST-S0124-D				660/905NM-3	23				
	科曼 COMEN				ST-S0125-21	CSI:Scholar, Poet (602-3A), CSI:1100, 581, 508, 507, 507SD, 504, 503, 501 Mindral:500A, 508, 509	连接器: ST 5Pin单单位 发射管: 660nm/905nm-3 线材: 医用TPU, OD4.0, L=3M Connector: ST 5Pin 1 Slot LEDS: 660nm/905nm-3 Cable: Medical TPU OD4.0 L=3M		660/905NM-3	35
					ST-S0125-22				660/905NM-3	35
ST-S0125-23		660/905NM-3	35							
ST-S0125-24		660/905NM-3	35							
ST-S0125-25		660/905NM-3	35							
ST-S0125-26		660/905NM-3	35							
ST-S0125-27		660/905NM-3	35							
ST-S0125-D		660/905NM-3	35							
DATASCOPE	ST-S0126-21	COMED STAR:8000A, 8000B, 8000C, 8000D, 8000E	连接器: ST 6Pin单单位 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: ST 6Pin 1 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M 数字输出信号Digital output signal		660/905NM-2	25				
	ST-S0126-22				660/905NM-2	25				
	ST-S0126-23				660/905NM-2	25				
	ST-S0126-24				660/905NM-2	25				
	ST-S0126-25				660/905NM-2	25				
	ST-S0126-26				660/905NM-2	25				
	ST-S0126-27				660/905NM-2	25				
	ST-S0126-D				660/905NM-2	25				
DATASCOPE	ST-S0127-21	Datascope:Accutorr 3 Datascope:Accutorr 4 SAT Accutorr Plus Passport9Database Spo2) Original Number: 0600-00-0026-02; 原厂编号:0600-00-0026-02	连接器: 圆头8Pin 发射管: 660/940nm-3, 线材: 医用TPU, OD4.0 L=3M Connector: Round 8Pin LEDS: 660nm/940nm-3 Cable: MedicalTPU OD4.0 L=3M		660/905NM-3	25				
	ST-S0127-22				660/905NM-3	25				
	ST-S0127-23				660/905NM-3	25				
	ST-S0127-24				660/905NM-3	25				
	ST-S0127-25				660/905NM-3	25				
	ST-S0127-26				660/905NM-3	25				
	ST-S0127-27				660/905NM-3	25				
	ST-S0127-D				660/905NM-3	25				
	ST-S0128-21				Datascope:Accutorr 3 Datascope:Accutorr 4 SAT Accutorr Plus Passport9Database Spo2) Original Number: 0600-00-0026-01; 原厂编号:0600-00-0026-01	连接器: DB 9 Pin四开口 发射管: 660/940nm-3, 线材: 医用TPU, OD4.0 L=1M Connector: DB 9 Pin Four Slot LEDS: 660nm/940nm-3 Cable: Medical TPU OD4.0 L=1M		660/905NM-3	22	
	ST-S0128-22							660/905NM-3	22	
	ST-S0128-23							660/905NM-3	22	
	ST-S0128-24							660/905NM-3	22	
	ST-S0128-25							660/905NM-3	22	
	ST-S0128-26							660/905NM-3	22	
ST-S0128-27	660/905NM-3	22								
ST-S0128-D	660/905NM-3	22								



重复性血氧饱和度探头








Reusable SpO2 Sensor

兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price		
德恩 DATEX	ST-S0129-21	Datex:AS/3, CS/3, CH/S, CH/2S CH- RS, CG/2S, Cardiocap 1, Cardiocap 11, Cardiocap 5, Capnomac Ultima , Light Monitor, M-Estpr, Oscar 11, OSP-200, Satlite Trans Plus, System 5, ULTS00 Original Number: OXY-F4-N 原厂编号: OXY-F4-N	连接器: DB 6 Pin弯头 发射管: 660/905nm-3, 线材: 医用TPU, OD4.0 L=3M Connector: DB 6 Pin Elbow LEDS: 660nm/905nm-3 Cable: Medical TPU OD4. L=3M		660/905NM-2	30		
	ST-S0129-22				660/905NM-2	30		
	ST-S0129-23				660/905NM-2	30		
	ST-S0129-24				660/905NM-2	30		
	ST-S0129-25				660/905NM-2	30		
	ST-S0129-26				660/905NM-2	30		
	ST-S0129-27				660/905NM-2	30		
	ST-S0129-D				660/905NM-2	30		
	ST-S0130-21	Datex:AS/3, CS/3, CH/S, CH/2S CH- RS, CG/2S, Cardiocap 1, Cardiocap 11, Cardiocap 5, Capnomac Ultima , Light Monitor, M-Estpr, Oscar 11, OSP-200, Satlite Trans Plus, System 5, ULTS00 Original Number: OXY-F-DB 原厂编号: OXY-F-DB	连接器: DB 6 Pin弯头 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=1M Connector: DB 6 Pin Elbow LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=1M		660/905NM-2	26		
	ST-S0130-22				660/905NM-2	26		
	ST-S0130-23				660/905NM-2	26		
	ST-S0130-24				660/905NM-2	26		
	ST-S0130-25				660/905NM-2	26		
	ST-S0130-26				660/905NM-2	26		
	ST-S0130-27				660/905NM-2	26		
ST-S0130-D	660/905NM-2				26			
海豚 DOLPHIN (OSI)	ST-S0131-21	Dolphin ONE OXIMETERS 2150/2100 Compatible for:2G00751	连接器: SCSI 14Pin 发射管: 660nm/905nm-4 线材: 医用TPU, OD4.0, L=3M Connector: SCSI 14Pin LEDS: 660nm/905nm-4 Cable: Medical TPU OD4.0 L=3M 数字输出信号Digital output signal		660/905NM-2	35		
	ST-S0131-22				660/905NM-2	35		
	ST-S0131-23				660/905NM-2	35		
	ST-S0131-24				660/905NM-2	35		
	ST-S0131-25				660/905NM-2	35		
	ST-S0131-26				660/905NM-2	35		
	ST-S0131-27				660/905NM-2	35		
	ST-S0131-D				660/905NM-2	35		
	ST-S0132-21				连接器: DB8 Pin单开口 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=1M Connector: DB8 Pin 1 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=1M 数字输出信号Digital output signal		660/905NM-2	25
	ST-S0132-22						660/905NM-2	25
	ST-S0132-23						660/905NM-2	25
	ST-S0132-24						660/905NM-2	25
	ST-S0132-25						660/905NM-2	25
	ST-S0132-26						660/905NM-2	25
	ST-S0132-27						660/905NM-2	25
ST-S0132-D	660/905NM-2	25						
德尔格 Draeger	ST-S0133-21	Siemens-Draeger:SC6002XL, 7000 SC8000, SC9000XL	连接器: 圆头7Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Round 7Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905NM-2			
	ST-S0133-22				660/905NM-2			
	ST-S0133-23				660/905NM-2			
	ST-S0133-24				660/905NM-2			
	ST-S0133-25				660/905NM-2			
	ST-S0133-26				660/905NM-2			
	ST-S0133-27				660/905NM-2			
	ST-S0133-D				660/905NM-2			
	ST-S0134-21	Drager Medical:Vitalert 1000, Cicero	连接器: ST 8Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: ST 8Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905NM-2			
	ST-S0134-22				660/905NM-2			
	ST-S0134-23				660/905NM-2			
	ST-S0134-24				660/905NM-2			
	ST-S0134-25				660/905NM-2			
	ST-S0134-26				660/905NM-2			
	ST-S0134-27				660/905NM-2			
ST-S0134-D	660/905NM-2							



重复性血氧饱和度探头

Reusable SpO2 Sensor

兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price
金科威 GOLDWAY	ST-S0135-21	Goldway UT4000A, UT4000F, UT4000, VET420A; AnKe: 553, Biolight, Cheersails: CSM-2000, Choicc Electronics MMED6000DP, WanDong, Jumbor: JB9101/9105/9107, TianRong, BaoZhong, HongRunDa: EM-6, QiLan: M-III, JERRY: PM200, JoyceTracker: BMD-50, Mindray: PM9000, Richer: RC9000, ShenMai: KP-900, Spurt: CP-1200, SHIPAI: KMI-1000, ZhongHengSheng: KD580, ZhongYuan: HD-2000.	连接器: ST 5Pin单定位 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: ST 5Pin 1 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	
	ST-S0135-22				660/905NM-2	
	ST-S0135-23				660/905NM-2	
	ST-S0135-24				660/905NM-2	
	ST-S0135-25				660/905NM-2	
	ST-S0135-26				660/905NM-2	
	ST-S0135-27				660/905NM-2	
	ST-S0135-D				660/905NM-2	
	ST-S0136-21	GOLDWAY:UT6000A	连接器: D型 8Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: D Shape 8Pin LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M 识别电阻Resistance:9.1KOM,		660/905NM-2	
	ST-S0136-22				660/905NM-2	
	ST-S0136-23				660/905NM-2	
	ST-S0136-24				660/905NM-2	
	ST-S0136-25				660/905NM-2	
	ST-S0136-26				660/905NM-2	
ST-S0136-27	660/905NM-2					
ST-S0136-D	660/905NM-2					
GE-马葵 Marqutte	ST-S0137-21	Systems:Eagle Dash, SOLAR series TRAM Modular X50SL	连接器: 方型 11Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Square 11Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M NELLCOR普通模块 NELLCOR Module		660/905NM-2	
	ST-S0137-22				660/905NM-2	
	ST-S0137-23				660/905NM-2	
	ST-S0137-24				660/905NM-2	
	ST-S0137-25				660/905NM-2	
	ST-S0137-26				660/905NM-2	
	ST-S0137-27				660/905NM-2	
	ST-S0137-D				660/905NM-2	
	ST-S0138-21	GE-Marqutte:Dash2000, 3000, 4000 Solar7000, 8000 Eagle1000, 3000, SMK, SMV	连接器: 方型 11Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Square 11Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M 马西莫MASIMO Module		660/905NM-2	
	ST-S0138-22				660/905NM-2	
	ST-S0138-23				660/905NM-2	
	ST-S0138-24				660/905NM-2	
	ST-S0138-25				660/905NM-2	
	ST-S0138-26				660/905NM-2	
	ST-S0138-27				660/905NM-2	
	ST-S0138-D	660/905NM-2				
	ST-S0139-21	GE-Marqutte:Dash2500 原厂改进: 电缆2021406-001+DS100A Original improvement: CABLE 2021406-001+DS100A	连接器: 方型 11Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Square 11Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M NELLCOR OXIMAX Tech Module		660/905NM-2	
	ST-S0139-22				660/905NM-2	
ST-S0139-23	660/905NM-2					
ST-S0139-24	660/905NM-2					
ST-S0139-25	660/905NM-2					
ST-S0139-26	660/905NM-2					
ST-S0139-27	660/905NM-2					
ST-S0139-D	660/905NM-2					
通用医疗 德恩-欧美达 Datex-ohmeda	ST-S0140-21	Sensor solutions for datex-Ohmeda S/5 FM Ports, Datex-ohmeda F-CU5 	连接器: 方型 11Pin 发射管: 660/905/940nm-4, 线材: 医用TPU, OD4.0 L=3M Connector: Square 11Pin LEDS: 660/905/940nm-4 Cable: MedicalTPU OD4.0 L=3M		660/905/940NM-4	
	ST-S0140-22				660/905/940NM-4	
	ST-S0140-23				660/905/940NM-4	
	ST-S0140-24				660/905/940NM-4	
	ST-S0140-25				660/905/940NM-4	
	ST-S0140-26				660/905/940NM-4	
	ST-S0140-27				660/905/940NM-4	
	ST-S0140-D				660/905/940NM-4	



重复性血氧饱和度探头

Reusable SpO2 Sensor

兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price				
海力格 Hellige	ST-S0141-21	Servomed 4, Generation SCP844, 851, 852, SCS 804, SMK 151, 153 154 155-1, 156, 157, 181, 182 SMV 104T, 107, 111, 168, SMS 316, SMC108, SMV104 Servomed N4, Servomed, Serie Cardioserv, Vicom SM, SMU 511, 611, 612, 630 Serie SMK- 200, 210, 211, 230, 231, 240, 250, Pepita203, R204, 204R, 205, 205R	连接器: 圆头10Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Round 10Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905NM-2					
	ST-S0141-22					660/905NM-2				
	ST-S0141-23					660/905NM-2				
	ST-S0141-24					660/905NM-2				
	ST-S0141-25					660/905NM-2				
	ST-S0141-26					660/905NM-2				
	ST-S0141-27					660/905NM-2				
	ST-S0141-D					660/905NM-2				
英威 INVIVO	ST-S0142-21	M8	连接器: ST 7Pin单单位 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: ST 7Pin 1 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M 马西莫MASIMO Module		660/905NM-2					
	ST-S0142-22					660/905NM-2				
	ST-S0142-23					660/905NM-2				
	ST-S0142-24					660/905NM-2				
	ST-S0142-25					660/905NM-2				
	ST-S0142-26					660/905NM-2				
	ST-S0142-27					660/905NM-2				
	ST-S0142-D					660/905NM-2				
	ST-S0143-21					4500, 4500Plus, Millenia, Omega 1445, Omni-Trak TVS, Sat Scout Original cadle numbek 9383 原厂编号: 9383	连接器: ST 7Pin单单位 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: ST 7Pin 1 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M 奈普特NELLCOR Module		660/905NM-2	
	ST-S0143-22									660/905NM-2
	ST-S0143-23									660/905NM-2
	ST-S0143-24									660/905NM-2
	ST-S0143-25									660/905NM-2
	ST-S0143-26									660/905NM-2
ST-S0143-27	660/905NM-2									
ST-S0143-D	660/905NM-2									
康强 KONTRON	ST-S0144-21	Kontron: 7138, 7840, 7845 Minmon7137 Micromon, Supermon, Kolomon, Trakmon Original Cable number:0608010 原厂编号:0608010	连接器: 圆头12Pin 单定 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Round 12Pin 1 Slot LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905NM-2					
	ST-S0144-22					660/905NM-2				
	ST-S0144-23					660/905NM-2				
	ST-S0144-24					660/905NM-2				
	ST-S0144-25					660/905NM-2				
	ST-S0144-26					660/905NM-2				
	ST-S0144-27					660/905NM-2				
	ST-S0144-D					660/905NM-2				
科诺 Kernel	ST-S0145-21	KN601M	连接器: ST 5Pin单单位 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: ST 5Pin 1 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2					
	ST-S0145-22					660/905NM-2				
	ST-S0145-23					660/905NM-2				
	ST-S0145-24					660/905NM-2				
	ST-S0145-25					660/905NM-2				
	ST-S0145-26					660/905NM-2				
	ST-S0145-27					660/905NM-2				
	ST-S0145-D					660/905NM-2				
隆美尔 LOHMEIER	ST-S0146-21	Lohmeier: Monitor M010 Original Number 651-0000-035 原厂编号:6051-0000-035	连接器: 方型12Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Square 12Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905NM-2					
	ST-S0146-22					660/905NM-2				
	ST-S0146-23					660/905NM-2				
	ST-S0146-24					660/905NM-2				
	ST-S0146-25					660/905NM-2				
	ST-S0146-26					660/905NM-2				
	ST-S0146-27					660/905NM-2				
	ST-S0146-D					660/905NM-2				



重复性血氧饱和度探头

Reusable SpO2 Sensor







兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price
马西莫 MASIMO	ST-S0147-21	Masimo ALL MDE:Escort11 OPT30:Prism GE Marquette: PRO1000, V300, INVIVO:T8 Schiller, ZOLL Datascope:Trio, Passport2	连接器: SCSI 14Pin 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: SCSI 14Pin LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	
	ST-S0147-22				660/905NM-2	
	ST-S0147-23				660/905NM-2	
	ST-S0147-24				660/905NM-2	
	ST-S0147-25				660/905NM-2	
	ST-S0147-26				660/905NM-2	
	ST-S0147-27				660/905NM-2	
	ST-S0147-D	660/905NM-2				
	ST-S0148-21	在有转接线的情况下, 可以所有的 MASIMO血氧仪/监护仪, 不包含 OXIMAX技术在內。 There adapter cable of Case, Can Compatible all MASIMO Oximeter/Monitor, No Include OXIMAX TECH Including	连接器: 插片式 6Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=1M Connector: Blade 6Pin LEDS: 660nm/905nm-2 Cable: Medical TPU OD34.0 L=1M		660/905NM-2	
	ST-S0148-22				660/905NM-2	
	ST-S0148-23				660/905NM-2	
	ST-S0148-24				660/905NM-2	
	ST-S0148-25				660/905NM-2	
	ST-S0148-26				660/905NM-2	
ST-S0148-27	660/905NM-2					
ST-S0148-D	660/905NM-2					
北京麦邦 M&B ELECTRIC 执信医疗/ 西润 Joinscience	ST-S0149-21	M&B: CD2000, CD2000+, MB526T8, MB526+tw, MB526, MB526+, MB256T12 胎儿监护Fetal:M1720 Joinscience:CD2000	连接器: HYP 7Pin 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: HYP 7Pin 1 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	
	ST-S0149-22				660/905NM-2	
	ST-S0149-23				660/905NM-2	
	ST-S0149-24				660/905NM-2	
	ST-S0149-25				660/905NM-2	
	ST-S0149-26				660/905NM-2	
	ST-S0149-27				660/905NM-2	
ST-S0149-D	660/905NM-2					
美克 MEK	ST-S0150-21	REF: MIS3AH-1 MEK ICS: MP-1000NT TYPE: MEK (CSI Module) (CSI模块)	连接器: 圆头8Pin 发射管: 660/905nm-3, 线材: 医用TPU, OD4.0 L=3M Connector: Round 8Pin LEDS: 660nm/905nm-3 Cable: MedicalTPU OD4.0 L=3M		660/905NM-3	
	ST-S0150-22				660/905NM-3	
	ST-S0150-23				660/905NM-3	
	ST-S0150-24				660/905NM-3	
	ST-S0150-25				660/905NM-3	
	ST-S0150-26				660/905NM-3	
	ST-S0150-27				660/905NM-3	
	ST-S0150-D	660/905NM-3				
	ST-S0151-21	MP1000 (NELLCOR Module) 奈普特模块	连接器: 圆头8Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Round 8Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905NM-2	
	ST-S0151-22				660/905NM-2	
	ST-S0151-23				660/905NM-2	
	ST-S0151-24				660/905NM-2	
	ST-S0151-25				660/905NM-2	
	ST-S0151-26				660/905NM-2	
	ST-S0151-27				660/905NM-2	
	ST-S0151-D	660/905NM-2				
	ST-S0152-21	MEK:MP-100, MP110, MP400, MP500, MP600, MP1000 (CSI Module) (CSI模块)	连接器: DB 6Pin 双开口 发射管: 660/905nm-3, 线材: 医用TPU, OD4.0 L=1M Connector: DB 6Pin 2 Slot LEDS: 660nm/905nm-3 Cable: MedicalTPU OD4.0 L=1M		660/905NM-3	
ST-S0152-22	660/905NM-3					
ST-S0152-23	660/905NM-3					
ST-S0152-24	660/905NM-3					
ST-S0152-25	660/905NM-3					
ST-S0152-26	660/905NM-3					
ST-S0152-27	660/905NM-3					
ST-S0152-D	660/905NM-3					





重复性血氧饱和度探头

Reusable SpO2 Sensor

兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price
迈瑞 MINDRAY	ST-S0153-21				660/905NM-2	
	ST-S0153-22	迈瑞MINDRAY:PM7000, 8000, 9000	连接器: ST 6Pin 40°		660/905NM-2	
	ST-S0153-23	PM6201, VS8000, MEC-1000	发射管: 660nm/905nm-2		660/905NM-2	
	ST-S0153-24	科瑞康creativ:PC9000, UP6000	线材: 医用TPU, OD4.0, L=3M		660/905NM-2	
	ST-S0153-25	邦健biocare: BM9000	Connector: ST 6Pin 40°		660/905NM-2	
	ST-S0153-26	原厂编号: 0010-20-42594+512D	LEDS: 660nm/905nm-2		660/905NM-2	
	ST-S0153-27	Original number 0010-20-42594+512D	Cable: Medical TPU OD4.0 L=3M		660/905NM-2	
	ST-S0153-D		迈瑞普通模块MINDRAY Module		660/905NM-2	
迈瑞 MINDRAY	ST-S0154-21				660/905NM-2	
	ST-S0154-22		连接器: ST 6Pin 40°		660/905NM-2	
	ST-S0154-23	迈瑞MINDRAY: PM9000, 9100, 9200	发射管: 660nm/905nm-2		660/905NM-2	
	ST-S0154-24	PM-6201, 7000, 8000, MIKO, M2KO	线材: 医用TPU, OD4.0, L=3M		660/905NM-2	
	ST-S0154-25	(Before 2006 Jan)	Connector: ST 6Pin 40°		660/905NM-2	
	ST-S0154-26	原厂编号:0010-30-42602	LEDS: 660nm/905nm-2		660/905NM-2	
	ST-S0154-27	Original number:0010-30-42602	Cable: Medical TPU OD4.0 L=3M		660/905NM-2	
	ST-S0154-D		迈瑞马西莫模块MINDRAY MASIMO Module		660/905NM-2	
迈瑞 MINDRAY	ST-S0155-21				660/905NM-2	
	ST-S0155-22		连接器: ST 6Pin 60°		660/905NM-2	
	ST-S0155-23	PM9000express (Masimo), PM8002,	发射管: 660nm/905nm-2		660/905NM-2	
	ST-S0155-24	9201, (6201, 7000, 8000, MIKO, M2KO	线材: 医用TPU, OD4.0, L=3M		660/905NM-2	
	ST-S0155-25	, Since2006), T8	Connector: ST 6Pin 60°		660/905NM-2	
	ST-S0155-26	原厂编号:0010-30-42625	LEDS: 660nm/905nm-2		660/905NM-2	
	ST-S0155-27	Original number:0010-30-42625	Cable: Medical TPU OD4.0 L=3M		660/905NM-2	
	ST-S0155-D		迈瑞马西莫模块MINDRAY MASIMO Module		660/905NM-2	
迈瑞 MINDRAY	ST-S0156-21				660/905NM-2	
	ST-S0156-22	迈瑞MINDRAY:PM6800	连接器: 圆头7Pin		660/905NM-2	
	ST-S0156-23	Benevew T5	发射管: 660/905nm-2,		660/905NM-2	
	ST-S0156-24	iPM 8, iPM 10, iPM12, iPM9800	线材: 医用TPU, OD4.0 L=3M		660/905NM-2	
	ST-S0156-25	原厂改进:	Connector: Round 7Pin		660/905NM-2	
	ST-S0156-26	电缆0010-30-42737+512D	LEDS: 660nm/905nm-2		660/905NM-2	
	ST-S0156-27	Original improvement:	Cable: MedicalTPU OD4.0 L=3M		660/905NM-2	
	ST-S0156-D		CABLE 0010-30-42737+512D		迈瑞普通模块MINDRAY Module	660/905NM-2
迈瑞 MINDRAY	ST-S0157-21				660/905NM-2	
	ST-S0157-22	迈瑞MINDRAY:PM6800	连接器: 圆头7Pin		660/905NM-2	
	ST-S0157-23	Benevew T5 ,T6, T8	发射管: 660/905nm-2,		660/905NM-2	
	ST-S0157-24	iPM 8, iPM 10, iPM12, iPM9800	线材: 医用TPU, OD4.0 L=3M		660/905NM-2	
	ST-S0157-25	原厂改进电缆:	Connector: Round 7Pin		660/905NM-2	
	ST-S0157-26	0010-30-42738+0010-10-42600	LEDS: 660nm/905nm-2		660/905NM-2	
	ST-S0157-27	Original improvement CABLE	Cable: MedicalTPU OD4.0 L=3M		660/905NM-2	
	ST-S0157-D		0010-30-42738+0010-10-42600		迈瑞马西莫模块MINDRAY MASIMO Module	660/905NM-2
迈瑞 MINDRAY	ST-S0158-21				660/905NM-2	
	ST-S0158-22		连接器: 圆头 12Pin		660/905NM-2	
	ST-S0158-23		发射管: 660/905nm-2,		660/905NM-2	
	ST-S0158-24	迈瑞MINDRAY:PM5000, PM6000	线材: 医用TPU, OD4.0 L=3M		660/905NM-2	
	ST-S0158-25		Connector: Round 12Pin		660/905NM-2	
	ST-S0158-26		LEDS: 660nm/905nm-2		660/905NM-2	
	ST-S0158-27		Cable: MedicalTPU OD4.0 L=3M		660/905NM-2	
	ST-S0158-D		迈瑞BCI模块MINDRAY BCI Module		660/905NM-2	



重复性血氧饱和度探头

Reusable SpO2 Sensor

兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price
迈瑞 MINDRAY	ST-S0159-21	迈瑞MINDRAY:PM6000	连接器: 圆头 12Pin 发射管: 660/905nm-3, 线材: 医用TPU, OD4.0 L=3M Connector: Round 12Pin LEDS: 660nm/905nm-3 Cable: MedicalTPU OD4.0 L=3M 迈瑞MASIMO模块MINDRAY MASIMO Module		660/905NM-2	
	ST-S0159-22				660/905NM-2	
	ST-S0159-23				660/905NM-2	
	ST-S0159-24				660/905NM-2	
	ST-S0159-25				660/905NM-2	
	ST-S0159-26				660/905NM-2	
	ST-S0159-27				660/905NM-2	
	ST-S0159-D				660/905NM-2	
奈普特 NELLCOR	ST-S0160-21	OXI TECH NELLCOR N550, N595, N560 原厂改进电缆: DOC-10 +DS100A Original improvement CABLE DOC-10 +DS100A	连接器: AMP 14Pin 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: AMP 14Pin LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M NELLCOR OXIMAX TECH		660/905NM-2	
	ST-S0160-22				660/905NM-2	
	ST-S0160-23				660/905NM-2	
	ST-S0160-24				660/905NM-2	
	ST-S0160-25				660/905NM-2	
	ST-S0160-26				660/905NM-2	
	ST-S0160-27				660/905NM-2	
	ST-S0160-D				660/905NM-2	
奈普特 NELLCOR	ST-S0161-21	For all NELLCOR Oximeter Include N-600 For all NELLCOR Monitor For all GE-Dash1800, 2500, 3000) Of OXIMAX TECH For all Spacelabs OXIMAX TECH Monitor Case 91220 Series OXIMAX TECH 原厂编号:DS100A Original number:DS100A	连接器: DB9 Pin 双开口 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=1M Connector: DB9 Pin 2 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=1M		660/905NM-2	
	ST-S0161-22				660/905NM-2	
	ST-S0161-23				660/905NM-2	
	ST-S0161-24				660/905NM-2	
	ST-S0161-25				660/905NM-2	
	ST-S0161-26				660/905NM-2	
	ST-S0161-27				660/905NM-2	
	ST-S0161-D				660/905NM-2	
奈普特 NELLCOR	ST-S0162-21	DATASCOPE:Accutorr Plus (NELLCOR) NELLCOR:NPB-290, NPB-295, N-390 N-395, N-3000, N-6000 Nihon Konden日本光电:BSM-4104A BSM-4114A, 科林COLIN, BP88, BP306	连接器: AMP 14Pin 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: AMP 14Pin LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M NELLCOR 普通技术 NELLCOR Normal TECH		660/905NM-2	
	ST-S0162-22				660/905NM-2	
	ST-S0162-23				660/905NM-2	
	ST-S0162-24				660/905NM-2	
	ST-S0162-25				660/905NM-2	
	ST-S0162-26				660/905NM-2	
	ST-S0162-27				660/905NM-2	
	ST-S0162-D				660/905NM-2	
奈普特 NELLCOR	ST-S0163-21	在有转接线的情况下, 可以所有的 NELLCOR血氧仪/监护仪, 不包含 OXIMAX技术在內。 There adapter cable of Case, Can Compatible all NELLCOR Oximeter/Monitor, No Include OXIMAX TECH Including	连接器: DB 7Pin 双开口 发射管: 660/905nm-2, 线材: 医用TPU OD4.0 L=1M Connector: DB 7Pin 2 Slot LEDS: 660nm/905nm-2 Cable: Medical:TPU OD4.0 L=1M		660/905NM-2	
	ST-S0163-22				660/905NM-2	
	ST-S0163-23				660/905NM-2	
	ST-S0163-24				660/905NM-2	
	ST-S0163-25				660/905NM-2	
	ST-S0163-26				660/905NM-2	
	ST-S0163-27				660/905NM-2	
	ST-S0163-D				660/905NM-2	
诺医 NOVAMETRIX	ST-S0164-21	Novamatrix: 505, 510, 511, 515B, 515C, 520, 7000, 7100, Oxypleth 太空: Spacelabs: 93051D, 93051G, 9 0465, 90466, 90467, 90489, 90651- 07, 90651-08, 90419-01, 90651A-07 原厂编号:369083-001 Original match:369083-001	连接器: HYP 6Pin 发射管: 660nm/940nm-3 线材: 医用TPU, OD4.0, L=3M Connector: HYP 6Pin LEDS: 660nm/940nm-3 Cable: Medical TPU OD4.0 L=3M		660/905NM-3	
	ST-S0164-22				660/905NM-3	
	ST-S0164-23				660/905NM-3	
	ST-S0164-24				660/905NM-3	
	ST-S0164-25				660/905NM-3	
	ST-S0164-26				660/905NM-3	
	ST-S0164-27				660/905NM-3	
	ST-S0164-D				660/905NM-3	



重复性血氧饱和度探头

Reusable SpO2 Sensor

兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price			
诺医 NOVAMETRIX	ST-S0165-21				660/905NM-3				
	ST-S0165-22	Novametrix: 505, 510, 511, 515B, 515C, 520, 7000, 7100, Oxypleth 太空: Spacelabs: 93051D, 93051G, 90465, 90466, 90467, 90489, 90651-07, 90651-08, 90419-01, 90651A-07 原厂编号: 8776-00 Original number: 8776-00	连接器: DB9 Pin 双开口 发射管: 660/940nm-3, 线材: 医用TPU OD4.0 L=1M Connector: DB9 Pin 2 Slot LEDS: 660nm/940nm-3 Cable: Medical TPU OD4.0 L=1M		660/905NM-3				
	ST-S0165-23				660/905NM-3				
	ST-S0165-24				660/905NM-3				
	ST-S0165-25				660/905NM-3				
	ST-S0165-26				660/905NM-3				
	ST-S0165-27				660/905NM-3				
	ST-S0165-D				660/905NM-3				
日本光电 NIHON KOHDEN	ST-S0166-21						660/905NM-3		
	ST-S0166-22	Bedside monitor: BSM-4101, 4103 4111, 4113 Lifescope P, BSM-5105, 5135, Life scope A, BSM-2351, 2353 Life scope L, BSM-2301, 2303 Life scope I 原厂编号: TL-201T Original match: TL-201T	连接器: 方型 14Pin 发射管: 660/940nm-3, 线材: 医用TPU, OD4.0 L=3M Connector: Square 14Pin LEDS: 660nm/940nm-3 Cable: MedicalTPU OD4.0 L=3M	660/905NM-3					
	ST-S0166-23			660/905NM-3					
	ST-S0166-24			660/905NM-3					
	ST-S0166-25			660/905NM-3					
	ST-S0166-26			660/905NM-3					
	ST-S0166-27			660/905NM-3					
	ST-S0166-D			660/905NM-3					
	ST-S0167-21			Nihon Kohden: AL-800PA Module BSM-1101 Lifescope EC BSM-2101, 2102 Lifescope L BSM-3101, 3102 Lifescope LC BSM-7100, 7200 Lifescope 8 BSM-8200, 8201 Lifescope 12 BSM-8800 Lifescope 14 OLV-1100A 原厂编号: TL-101S Original match: TL-101S	连接器: 圆头 10Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Round 11Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M			660/905NM-2	
	ST-S0167-22							660/905NM-2	
ST-S0167-23	660/905NM-2								
ST-S0167-24	660/905NM-2								
ST-S0167-25	660/905NM-2								
ST-S0167-26	660/905NM-2								
ST-S0167-27	660/905NM-2								
ST-S0167-D	660/905NM-2								
日本光电 NIHON KOHDEN	ST-S0168-21				660/905NM-3				
	ST-S0168-22	Bedside monitor: BSM-4101, 4103 4111, 4113 Lifescope P, BSM-5105, 5135, Life scope A, BSM-2351, 2353 Life scope L, BSM-2301, 2303 Life scope I 原厂编号: TL-101T Original match: TL-101T	连接器: DB 9Pin 发射管: 660/940nm-3, 线材: 医用TPU, OD4.0 L=1M Connector: DB 9Pin LEDS: 660nm/940nm-3 Cable: Medical TPU OD4.0 L=1M		660/905NM-3				
	ST-S0168-23				660/905NM-3				
	ST-S0168-24				660/905NM-3				
	ST-S0168-25				660/905NM-3				
	ST-S0168-26				660/905NM-3				
	ST-S0168-27				660/905NM-3				
	ST-S0168-D				660/905NM-3				
燕牌 NONIN	ST-S0169-21						660/905NM-2		
	ST-S0169-22	燕牌NONIN: 8500, 8700, 8800, 9600, 9700, 8600 Series, 原厂编号: 8000AA Original match: 8000AA	连接器: 扁方型 8孔 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: Flat square 8M LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M	660/905NM-2					
	ST-S0169-23			660/905NM-2					
	ST-S0169-24			660/905NM-2					
	ST-S0169-25			660/905NM-2					
	ST-S0169-26			660/905NM-2					
	ST-S0169-27			660/905NM-2					
	ST-S0169-D			660/905NM-2					
燕牌 NONIN	ST-S0170-21						660/905NM-2		
	ST-S0170-22	燕牌NONIN: 8500, 8700, 8800, 9600, 9700, 8600 Series, NONIN: 2500 原厂编号: 8000AA Original match: 8000AA	连接器: DB 7Pin 发射管: 660/905nm-2, 线材: 医用TPU OD4.0 L=1M Connector: DB 7Pin LEDS: 660nm/905nm-2 Cable: Medical:TPU OD4.0 L=1M	660/905NM-2					
	ST-S0170-23			660/905NM-2					
	ST-S0170-24			660/905NM-2					
	ST-S0170-25			660/905NM-2					
	ST-S0170-26			660/905NM-2					
	ST-S0170-27			660/905NM-2					
	ST-S0170-D			660/905NM-2					



重复性血氧饱和度探头

Reusable SpO2 Sensor

兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price
欧美达 OHMEDA	ST-S0171-21	DATEX-OHMEDA:3740, 3710, 4700	连接器: HYP 7Pin 发射管: 660nm/940nm-3 线材: 医用TPU, OD4.0, L=3M Connector: HYP 7Pin LEDS: 660nm/940nm-3 Cable: Medical TPU OD4.0 L=3M		660/905NM-3	
	ST-S0171-22	Oxicap, 5250RGM, bIOX 3760,			660/905NM-3	
	ST-S0171-23	OHMEDA: 3700, 3770, 3775, Rascall,			660/905NM-3	
	ST-S0171-24	GE Medical Systems:7000 Series			660/905NM-3	
	ST-S0171-25	Corometrics 511TRAM A.R			660/905NM-3	
	ST-S0171-26	TRAM Modular X00SL Series,			660/905NM-3	
	ST-S0171-27	美能:Horizon XL800 OHMEDA spo2			660/905NM-3	
	ST-S0171-D	原厂编号:OXY-F4-H Original match:OXY-F4-H			660/905NM-3	
欧美达 OHMEDA	ST-S0172-21	GE-OHMEDA: Trusat 血氧仪 OHMEDA: 掌式血氧仪(Tuffsat®, 3775), 台式血氧仪:(37xx Series, 3800, 3900, 3900P) 呼吸机监护仪:(4700, 5250RGM), 德恩:S/5 AS/3和CS/3监护仪 原厂编号:OXY-F-UN Original match:OXY-F-UN	连接器: OHMEDA 8Pin 发射管: 660/905/940nm-4, 线材: 医用TPU OD4.0 L=1M Connector: Claw Button 8Pin LEDS: 660nm/905nm/940nm-4 Cable: Medical TPU OD4.0 L=1M		660/905/940NM-4	
	ST-S0172-22				660/905/940NM-4	
	ST-S0172-23				660/905/940NM-4	
	ST-S0172-24				660/905/940NM-4	
	ST-S0172-25				660/905/940NM-4	
	ST-S0172-26				660/905/940NM-4	
	ST-S0172-27				660/905/940NM-4	
	ST-S0172-D				660/905/940NM-4	
通用-欧美达 GE-OHMEDA	ST-S0173-21	Sensor Solutions for GE ohmeda Trusat™ Pulse Oximeter 原厂编号:OXY-F4-MC Original match:OXY-F4-MC	连接器: DB 9Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: DB 9Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905/940NM-4	
	ST-S0173-22				660/905/940NM-4	
	ST-S0173-23				660/905/940NM-4	
	ST-S0173-24				660/905/940NM-4	
	ST-S0173-25				660/905/940NM-4	
	ST-S0173-26				660/905/940NM-4	
	ST-S0173-27				660/905/940NM-4	
	ST-S0173-D				660/905/940NM-4	
飞利浦 PHILIPS	ST-S0174-21	飞利浦 PHILIPS:M3, M4, M3046, MP20, MP30, MP40, MP50, MP70, MP80, VM4, VM6, VM8 除颤监护仪: Defibrillator Monitor:M4735A	连接器: D型 8Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: D Shape 8Pin LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M Original match:M1196A		660/905NM-2	
	ST-S0174-22				660/905NM-2	
	ST-S0174-23				660/905NM-2	
	ST-S0174-24				660/905NM-2	
	ST-S0174-25				660/905NM-2	
	ST-S0174-26				660/905NM-2	
	ST-S0174-27				660/905NM-2	
	ST-S0174-D		660/905NM-2			
	ST-S0175-21		连接器: D型 8Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=1M Connector: D Shape 8Pin LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=1M Original match:M1191A		660/905NM-2	
	ST-S0175-22				660/905NM-2	
	ST-S0175-23				660/905NM-2	
	ST-S0175-24				660/905NM-2	
	ST-S0175-25				660/905NM-2	
	ST-S0175-26				660/905NM-2	
ST-S0175-27	660/905NM-2					
ST-S0175-D	660/905NM-2					
飞利浦 PHILIPS	ST-S0176-21	飞利浦PHILIPS: 78352A, 78352C, 78354A, 78354C, 78834C M1020A, M1025A, M1025B, M1205A M1350B, M1722A, M1722B, M1723A, M1723B, M2475B, V24, V24E 原厂编号:M1190A Original match:M1190A	连接器: 圆头 12Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Round 12Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905NM-2	
	ST-S0176-22				660/905NM-2	
	ST-S0176-23				660/905NM-2	
	ST-S0176-24				660/905NM-2	
	ST-S0176-25				660/905NM-2	
	ST-S0176-26				660/905NM-2	
	ST-S0176-27				660/905NM-2	
	ST-S0176-D				660/905NM-2	



重复性血氧饱和度探头







Reusable SpO2 Sensor

兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price
伯斯特 PACE TECH	ST-S0177-21	Generra: 710, 200, 300, 400, 810, 530 PACE TECH: Modell 520 All W/black face (except Vitalmax 800w/Nellcor @SP02) 原厂编号:4510-3044 Original match:4510-3044	连接器: 迷你 5Pin 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: Mini 5Pin LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	
	ST-S0177-22				660/905NM-2	
	ST-S0177-23				660/905NM-2	
	ST-S0177-24				660/905NM-2	
	ST-S0177-25				660/905NM-2	
	ST-S0177-26				660/905NM-2	
	ST-S0177-27				660/905NM-2	
	ST-S0177-D				660/905NM-2	
将军 General	ST-S0178-21	General	连接器: ST 7Pin单定位 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: ST 7Pin 1 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	
	ST-S0178-22				660/905NM-2	
	ST-S0178-23				660/905NM-2	
	ST-S0178-24				660/905NM-2	
	ST-S0178-25				660/905NM-2	
	ST-S0178-26				660/905NM-2	
	ST-S0178-27				660/905NM-2	
	ST-S0178-D				660/905NM-2	
派克 PALCO	ST-S0179-21	Palco: ALL	连接器: 水晶头 6Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Crystal Plugs 6Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905NM-3	
	ST-S0179-22				660/905NM-3	
	ST-S0179-23				660/905NM-3	
	ST-S0179-24				660/905NM-3	
	ST-S0179-25				660/905NM-3	
	ST-S0179-26				660/905NM-3	
	ST-S0179-27				660/905NM-3	
	ST-S0179-D				660/905NM-3	
丹麦阿替玛 S&W ARTEMA	ST-S0180-21	S&W(Diascope G2)Patient Monitor Diascope 1 Diascope 2 Diascope 3 原厂改进: 电缆SL033057+DS100A Original improvement: CABLE SL033057+DS100A	连接器: 圆头 10孔 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Round 10 M LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905NM-2	
	ST-S0180-22				660/905NM-2	
	ST-S0180-23				660/905NM-2	
	ST-S0180-24				660/905NM-2	
	ST-S0180-25				660/905NM-2	
	ST-S0180-26				660/905NM-2	
	ST-S0180-27				660/905NM-2	
	ST-S0180-D				660/905NM-2	
席勒 SCHILLER	ST-S0181-21	Schiller Argus TM-7Schiller Argus CM8, SM783, SM784, SM785, TM910.	连接器: 圆型 7Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Round 7Pin LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M 奈普特模块NELLCOR Module		660/905NM-2	
	ST-S0181-22				660/905NM-2	
	ST-S0181-23				660/905NM-2	
	ST-S0181-24				660/905NM-2	
	ST-S0181-25				660/905NM-2	
	ST-S0181-26				660/905NM-2	
	ST-S0181-27				660/905NM-2	
	ST-S0181-D				660/905NM-2	
席勒 SCHILLER	ST-S0182-21	Schiller TM7, Argus Pro, Argus LCM	连接器: 圆头 7Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Round 7Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M 马西莫模块MASIMO Module		660/905NM-2	
	ST-S0182-22				660/905NM-2	
	ST-S0182-23				660/905NM-2	
	ST-S0182-24				660/905NM-2	
	ST-S0182-25				660/905NM-2	
	ST-S0182-26				660/905NM-2	
	ST-S0182-27				660/905NM-2	
	ST-S0182-D				660/905NM-2	



重复性血氧饱和度探头






Reusable SpO2 Sensor

兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price
西门子 SIEMENS	ST-S0183-21	Siemens medical: Sirecust 700 Sirecust 630 Sirem SPO2 Module	连接器: 圆头 10Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Round 10 Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905NM-2	
	ST-S0183-22				660/905NM-2	
	ST-S0183-23				660/905NM-2	
	ST-S0183-24				660/905NM-2	
	ST-S0183-25				660/905NM-2	
	ST-S0183-26				660/905NM-2	
	ST-S0183-27				660/905NM-2	
	ST-S0183-D				660/905NM-2	
SIMED (Baxter)	ST-S0184-21	SIMED: S-50 SIMED: S-100 SIMED: S-100E	连接器: HYP 7Pin 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: HYP 7Pin LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	
	ST-S0184-22				660/905NM-2	
	ST-S0184-23				660/905NM-2	
	ST-S0184-24				660/905NM-2	
	ST-S0184-25				660/905NM-2	
	ST-S0184-26				660/905NM-2	
	ST-S0184-27				660/905NM-2	
	ST-S0184-D				660/905NM-2	
太空 Spacelabs	ST-S0185-21	Spacelabs Medical: 90351-0/6;90465, 90466, 90489, 90651A-08, 90651- A, IM77, 90308, PC Scout 原厂改进: 电缆700-0020-00+DS100A inal improvement: CABLE 700-0020-00+DS100A	连接器: HYP 7Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Crystal Plugs 6Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905NM-2	
	ST-S0185-22				660/905NM-2	
	ST-S0185-23				660/905NM-2	
	ST-S0185-24				660/905NM-2	
	ST-S0185-25				660/905NM-2	
	ST-S0185-26				660/905NM-2	
	ST-S0185-27				660/905NM-2	
	ST-S0185-D				660/905NM-2	
太空 Spacelabs	ST-S0186-21	SPacelabs Medical: 1050, 1600, 1700, 90369, 90469, 90469Ultraview 原厂改进: 电缆700-0030-00+DS100A inal improvement: CABLE 700-0030-00+DS100A	连接器: 方型 10孔 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Square 10 M LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M		660/905NM-2	
	ST-S0186-22				660/905NM-2	
	ST-S0186-23				660/905NM-2	
	ST-S0186-24				660/905NM-2	
	ST-S0186-25				660/905NM-2	
	ST-S0186-26				660/905NM-2	
	ST-S0186-27				660/905NM-2	
	ST-S0186-D				660/905NM-2	
深圳迈迈 senmind	ST-S0187-21	senmind Medical:KP-9000 senmind Medical:MP500, MP600, MP700, MP900F	连接器: D型 8Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: D Shape 8Pin LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	
	ST-S0187-22				660/905NM-2	
	ST-S0187-23				660/905NM-2	
	ST-S0187-24				660/905NM-2	
	ST-S0187-25				660/905NM-2	
	ST-S0187-26				660/905NM-2	
	ST-S0187-27				660/905NM-2	
	ST-S0187-D				660/905NM-2	
和心重典 zondan	ST-S0188-21	zondan: ZD120E, ZD120D, ZD120F, Apollo N1 Apollo N2 Apollo N3	连接器: ST 6Pin单定位 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: ST 6Pin 1 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	
	ST-S0188-22				660/905NM-2	
	ST-S0188-23				660/905NM-2	
	ST-S0188-24				660/905NM-2	
	ST-S0188-25				660/905NM-2	
	ST-S0188-26				660/905NM-2	
	ST-S0188-27				660/905NM-2	
	ST-S0188-D				660/905NM-2	



重复性血氧饱和度探头

Reusable SpO2 Sensor

兼容机型 Manufacturer	产品型号 Model	适配机型 OEM Model	产品描述 Product Description	连接器图示 Connector	芯片规格 LEDS	价格 Price
杰纳瑞 GMI 泰克Newtech	ST-S0189-21	GMI: G3C Newtech: G3C, NT3B, NT3C, NT3A	连接器: 圆头 12Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: Round 12Pin LEDS: 660nm/905nm-2 Cable: MedicalTPU OD4.0 L=3M 数字输出信号Digital output signal		660/905NM-2	
	ST-S0189-22				660/905NM-2	
	ST-S0189-23				660/905NM-2	
	ST-S0189-24				660/905NM-2	
	ST-S0189-25				660/905NM-2	
	ST-S0189-26				660/905NM-2	
	ST-S0189-27				660/905NM-2	
	ST-S0189-D				660/905NM-2	
杰纳瑞 GMI	ST-S0190-21	GMI: G3H, G3G, G3F, G3D, G3C, G3L G6A, G6A Plus	连接器: ST 6Pin 40° 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: ST 6Pin 40° LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M 数字输出信号Digital output signal		660/905NM-2	
	ST-S0190-22				660/905NM-2	
	ST-S0190-23				660/905NM-2	
	ST-S0190-24				660/905NM-2	
	ST-S0190-25				660/905NM-2	
	ST-S0190-26				660/905NM-2	
	ST-S0190-27				660/905NM-2	
	ST-S0190-D				660/905NM-2	
纽泰克 Newtech	ST-S0191-21	Newtech: NT2A, NT2C	连接器: D型 8Pin 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=3M Connector: D Shape 8Pin LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M		660/905NM-2	
	ST-S0191-22				660/905NM-2	
	ST-S0191-23				660/905NM-2	
	ST-S0191-24				660/905NM-2	
	ST-S0191-25				660/905NM-2	
	ST-S0191-26				660/905NM-2	
	ST-S0191-27				660/905NM-2	
	ST-S0191-D				660/905NM-2	
施博瑞 SPRING	ST-S0192-21	SPRING ALL	连接器: ST 6Pin 40° 发射管: 660nm/905nm-2 线材: 医用TPU, OD4.0, L=3M Connector: ST 6Pin 40° LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=3M 数字输出信号Digital output signal		660/905NM-2	
	ST-S0192-22				660/905NM-2	
	ST-S0192-23				660/905NM-2	
	ST-S0192-24				660/905NM-2	
	ST-S0192-25				660/905NM-2	
	ST-S0192-26				660/905NM-2	
	ST-S0192-27				660/905NM-2	
	ST-S0192-D				660/905NM-2	
数字Digital DB9 SPO2	ST-S0193-21	纽泰克Newtech 杰纳瑞GMI 科曼COMED 施博瑞SPRING	连接器: DB9 Pin 双开口 发射管: 660/905nm-2, 线材: 医用TPU, OD4.0 L=1M Connector: DB9 Pin 2 Slot LEDS: 660nm/905nm-2 Cable: Medical TPU OD4.0 L=1M 数字输出信号Digital output signal		660/905NM-2	
	ST-S0193-22				660/905NM-2	
	ST-S0193-23				660/905NM-2	
	ST-S0193-24				660/905NM-2	
	ST-S0193-25				660/905NM-2	
	ST-S0193-26				660/905NM-2	
	ST-S0193-27				660/905NM-2	
	ST-S0193-D				660/905NM-2	

Notes:

- All the sensors above are all reusable, in compliance with medical requirements, quality assured, testing is promised before shipment.
- Most of the sensors above are normally used in the market, so please don't hesitate to contact us for the details if the one you want is not listed.
- OEM:** we do accept OEM service to all the customers, please let us know your specifications including samples, drawing, length, color, quantity and etc.
- Order flow chart: for all the orders, we need payment in advance. Send your inquiry including model number, quantity, expect delivery date to our representative, we will give you invoice regarding to the unit price, total price, lead time, bank information. After shipment we will inform you tracking number, the goods will be reach you soon.
- Statement. All the trademarks on the list are belong to the original manufacturers, we just refer the brands to our compatible sensors only.